
From: Renninger, Steven
To: Madelyn.Adams@epa.ohio.gov
Sent: 9/30/2016 6:03:43 PM
Subject: RE: Files for Sept. 29th VI Conference call ~COR-038443-202~

Yes. Available between 10-3.

Thanks.

Steve Renninger
On-Scene Coordinator
US EPA Region 5
Emergency Response Branch
26 W Martin Luther King Drive
Cincinnati, OH 45268
513-260-7849



From: Madelyn.Adams@epa.ohio.gov [mailto:Madelyn.Adams@epa.ohio.gov]
Sent: Friday, September 30, 2016 2:01 PM
To: Renninger, Steven
Subject: RE: Files for Sept. 29th VI Conference call ~COR-038443-202~

Steve – are you available Monday to talk with everyone?


From: Duzak, Bryan
Sent: Friday, September 30, 2016 1:50 PM
To: Adams, Madelyn <Madelyn.Adams@epa.ohio.gov>; Patterson, Leslie <patterson.leslie@epa.gov>; Renninger, Steven <renninger.steven@epa.gov>
Cc: Cook, Joleen <Joleen.Cook@epa.ohio.gov>; Gill, Kelly <kelly.gill@com.state.oh.us>; Ord, Verne <Verne.Ord@com.state.oh.us>
Subject: RE: Files for Sept. 29th VI Conference call ~COR-038443-202~

All,

BUSTR Assistant Chief Verne Ord, BUSTR Corrective Actions Supervisor Kelly Gill, and myself are available for a call on Monday.

Thanks,

Bryan



Bryan Duzak

Environmental Specialist 2
Ohio Department of Commerce
Division of State Fire Marshal
Bureau of Underground Storage Tank Regulations
8895 East Main Street, Reynoldsburg, Ohio 43068
614-728-1898 (Direct), 614-752-7942 (Fax)
www.com.ohio.gov

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.

From: Adams, Madelyn
Sent: Friday, September 30, 2016 12:28 PM
To: Patterson, Leslie <patterson.leslie@epa.gov>; Renninger, Steven <renninger.steven@epa.gov>
Cc: Cook, Joleen <Joleen.Cook@epa.ohio.gov>; Duzak, Bryan <Bryan.Duzak@com.state.oh.us>
Subject: RE: Files for Sept. 29th VI Conference call ~COR-038443-202~

Here is one that I've found so far. Not sure if there are any others.

From: Patterson, Leslie [<mailto:patterson.leslie@epa.gov>]
Sent: Friday, September 30, 2016 11:42 AM
To: Adams, Madelyn <Madelyn.Adams@epa.ohio.gov>; Renninger, Steven <renninger.steven@epa.gov>
Cc: Cook, Joleen <Joleen.Cook@epa.ohio.gov>; Duzak, Bryan <Bryan.Duzak@com.state.oh.us>
Subject: RE: Files for Sept. 29th VI Conference call ~COR-038443-202~

Maddie, are there any reports describing operation & monitoring of the system? I'm free on Monday anytime before 3:00 ET/2:00 CT.

Leslie Patterson
Remedial Project Manager
U. S. Environmental Protection Agency, Region 5
Superfund Remedial Response, SR-6J
77 West Jackson Boulevard
Chicago, IL 60604
tel: (312) 886-4904
fax: (312) 692-2491
patterson.leslie@epa.gov

From: Madelyn.Adams@epa.ohio.gov [<mailto:Madelyn.Adams@epa.ohio.gov>]

Sent: Friday, September 30, 2016 8:09 AM

To: Renninger, Steven <renninger.steven@epa.gov>; Patterson, Leslie <patterson.leslie@epa.gov>

Cc: Joleen.Cook@epa.ohio.gov; Bryan.Duzak@com.state.oh.us

Subject: RE: Files for Sept. 29th VI Conference call ~COR-038443-202~

Here are the two documents outlining the proposed bio-sparge system. I haven't had a chance to go through them.

Do we want to set up a regulator's call? I'd also like to have Joleen Cook present, she's the landfill engineer who has been helping with the landfill gas side of things. Ohio EPA is available Monday next week.

Maddie

From: Renninger, Steven [<mailto:renninger.steven@epa.gov>]


Sent: Thursday, September 29, 2016 4:17 PM

To: Adams, Madelyn <Madelyn.Adams@epa.ohio.gov>; Patterson, Leslie <patterson.leslie@epa.gov>

Subject: RE: Files for Sept. 29th VI Conference call ~COR-038443-202~

Thanks for the update.

Steve Renninger
On-Scene Coordinator
US EPA Region 5
Emergency Response Branch
26 W Martin Luther King Drive
Cincinnati, OH 45268
513-260-7849



From: Madelyn.Adams@epa.ohio.gov [<mailto:Madelyn.Adams@epa.ohio.gov>]

Sent: Thursday, September 29, 2016 4:15 PM

To: Patterson, Leslie <patterson.leslie@epa.gov>; Renninger, Steven <renninger.steven@epa.gov>

Subject: RE: Files for Sept. 29th VI Conference call ~COR-038443-202~

Got ahold of Brian at BUSTR, he's going to look in to the file some more. On the surface it looks like DP&L installed a bio-sparge system sometime in 2002. I don't know if it's still operational, Brian was going to look in to that as well. My adobe acrobat was recently updated and (shockingly) now it's not working right. I'll send you the work plan for the sparge system once I get the program to open, it should outline what they injected and when as well as monitoring parameters. If this ends up being DP&L's issue, Brian isn't sure if BUSTR would take over enforcing a correction. It would obviously be DP&L's problem but who would regulate them is still up in the air. I also have some information on the decomposition process of BTEX that I will send once I can open PDFs.

Maddie

From: Chan, Valerie [<mailto:Valerie.Chan@ghd.com>]

Sent: Thursday, September 29, 2016 1:55 PM

To: 'Patterson.Leslie@epamail.epa.gov' <Patterson.Leslie@epamail.epa.gov>; 'Steven Renninger' <Renninger.Steven@epamail.epa.gov>; Adams, Madelyn <Madelyn.Adams@epa.ohio.gov>; 'Ken Brown' <KBrown@ITW.com>; 'Heath, Bryan' <Bryan.Heath@NCR.COM>; 'jrc@e-emi.com' <jrc@e-emi.com>; 'Wendell Barner' <wendell.barner@gmail.com>; Gatrell, Douglas <Douglas.Gatrell@ghd.com>; Sash, Austin <Austin.Sash@ghd.com>; Ramdial, Brent <Brent.Ramdial@ghd.com>

Cc: Project Email Filing <Filing-NA@ghd.com>

Subject: Files for Sept. 29th VI Conference call ~COR-038443-202~

Hello,

The attached files are provided for discussion during today's South Dayton Dump and Landfill Site vapor intrusion conference call:

- Figure summarizing methane field readings at GP-2, South Dayton Site soil gas probes, and at storm inlets and manholes. Approximate locations of buried utilities in Dryden Road (O.B.T underground duct) and on the east side of Dryden Road (Cincinnati Bell) are marked. Water and gas lines are present on the west side of Dryden Road but were left out to keep the figure legible.
- Tables presenting methane field readings.

Today's call is scheduled for 2:30 PM ET / 1:30 PM CT.

Teleconference: 1-866-721-5495

Access Code: 14627342

Thank you,

Valerie

Valerie Chan, P.Eng.

GHD

T: 1 519 884 0510 | F: 1 519 884 0525 | E: valerie.chan@ghd.com

651 Colby Drive Waterloo Ontario N2V 1C2 Canada | www.ghd.com

[WATER](#) | [ENERGY & RESOURCES](#) | [ENVIRONMENT](#) | [PROPERTY & BUILDINGS](#) | [TRANSPORTATION](#)

Please consider our environment before printing this email

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.

The information transmitted is intended solely for the individual or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of or taking action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you have received this email in error please contact the sender and delete the material from any computer.
